

MARBACH DIE SUPPLIES. MATERIALS & EQUIPMENT.

PACKAGING.
PERFORMANCE.
YOU.


























MATERIALS & EQUIPMENT. SUITABLE FOR EVERYONE.



Marbach produces tools for the global packaging industry: Cutting-dies, stripping and blanking tools for paperboard and corrugated board production. What many do not know: Marbach Die Supplies also offers a comprehensive range of materials and equipment.

The product portfolio of Marbach Die Supplies is very wide-ranging. It offers the right solution for every requirement.

From A like aluhammer. Over C as in creasing channels. F like finishing tape. To R like rubber strips. At Marbach, we have numerous materials and tools in our product range that are needed by a packaging manufacturer.

The product range also includes Marbach developments that make your daily work easier: Nick setters, small tools, rule pullers, pliers, measuring devices as well as original spare parts for the maintenance of your tools. But also in-house developments such as mpower cutting rules or marbastrip claws are available from us. As a Marbach customer you will not only benefit from materials meeting your requirements but also from individual advices by your Marbach experts.

Use the materials of Marbach. Benefit from more than 100 years of experience of the world market leader. For best performance in the production of your packaging.

All products from our catalog are available at Marbach Die Supplies: supplies@marbach.com.

Notes regarding this catalog:

Packaging units are subject to change | Marbach General Terms and Conditions apply (marbach.com/en/daten/general-terms-and-conditions) | Pictures without guarantee | Item properties may vary | Further items and designs on request.



| Make-ready materials | О |
|--|----------------------------------|
| Counter plates | 8 |
| Marbach Creasing Channels | |
| rillma + | |
| Cutting plates | |
| Cutting chase cover plates | 14 |
| Digital zone levelling & mplaten cleaner-smart | 15 |
| Nicks Grinding discs Nick grinder marbanick 2+ Nick changing system | 16 |
| Handheld devices mcut multi mbend mcut round mcut matrix mrule extractor | 18 |
| Workbenches, lamps & trimknife multi | 20 |
| Tool Organizer Set | 22 |
| Tools | 24 |
| Dieboard-Material | 26 |
| Knifing Cutting rules Creasing rules Perforation rules. Combo perforation rules Tear perforation rules Special rules | 28 |
| Punches | 40 |
| Safety Cuts | 41 |
| Rubbering corrugated Flat cutting Rotary cutting | 42 |
| Rubbering paperboard | 46 |
| Rubber Plates | 48 |
| Accessories Embossing Crease plates Braille Steel and wooden bar Stripping Blanking Small Components | 50 51 52 53 54 56 |
| Logistics MDSS | 60 |
| Quality control Crease bend tester Sample cutter | 62 |
| Marbach Academy | 64 |





MAKE-READY MATERIALS. SELF-ADHESIVE TAPES.

Make-ready tape, paper

| Name | Item no. | Version | PU |
|--------|----------|------------------|---------|
| blue | 03030 | 30μ, 3 mm width | 40 pcs. |
| blue | 05830 | 30μ, 6 mm width | 25 pcs. |
| blue | 12030 | 30μ, 12 mm width | 12 pcs. |
| red | 03050 | 50μ, 3 mm width | 40 pcs. |
| red | 05850 | 50μ, 6 mm width | 25 pcs. |
| red | 12050 | 50μ, 12 mm width | 12 pcs. |
| yellow | 03080 | 80μ, 3 mm width | 40 pcs. |
| yellow | 05880 | 80μ, 6 mm width | 25 pcs. |
| yellow | 12080 | 80μ, 12 mm width | 12 pcs. |
| | | | |

Make-ready tape, stainless steel

| Name | Item no. | Version | PU |
|-----------------|----------|--------------------|-----------|
| stainless steel | 07399 | 30μ, 6,5 mm width | 10 m/roll |
| stainless steel | 07401 | 50μ, 6,5 mm width | 10 m/roll |
| stainless steel | 07402 | 100μ, 6,5 mm width | 10 m/roll |




MAKE-READY MATERIALS. TECHNICAL PAPERS.

Make-ready paper

| Item | Item no. | Туре | Version | PU |
|-------------------|----------|--------|---------------------|------------|
| silk paper, white | 09735 | sheets | 30μ, 100 cm x 75 cm | 1,000 pcs. |

Make-ready sheets, plotter foil and carbon paper

| Item | Item no. | Туре | Version | PU |
|-----------------------------|----------|------------|--------------------|------------|
| make-ready sheet, 3-layers | 14604 | 50 m roll | 100μ, 130 cm width | 1 pc. |
| make-ready sheet, 2-layers | 14507 | 50 m roll | 150μ, 152 cm width | 1 pc. |
| plotter foil, one side matt | 00655 | 30 m roll | 90μ, 122cm width | 1 pc. |
| one-time carbon paper | 07060 | 950 m roll | 74.5 cm width | 1 pc. |
| one-time carbon paper | 17050 | sheets | 430×610 mm | 1,000 pcs. |





COUNTER PLATES.Marbach Creasing Channels (MCC).

Marbach Creasing Channels (MCC) – the creasing channels from Marbach. This allows you to design your counter plate individually: Simply cut to size, attach to the creasing rule, remove adhesive foil, put into the machine, make impression, pull off clip-on profile, die-cut, done. MCC are available in various sizes. As is the matching cutting plate.

Properties:

- High quality synthetic material
- Highest precision, long service life
- Perfect adhesion, no slipping during use
- Easy handling thanks to finger-lift technology

Usage:

• Creasing matrix for corrugated board and paperboard

Packaging Unit:

6 mm/10 mm: 36 stripes with 70 cm each (total length: 25.2 m)
 12 mm: 30 stripes with 70 cm each (total length: 21.0 m)

Color scale

| Creasing channel height | Color | |
|-------------------------|------------|--|
| 0.30 mm | green | |
| 0.40 mm | orange | |
| 0.45 mm | pink | |
| 0.50 mm | light blue | |
| 0.60 mm | grex | |
| 0.70 mm | yellow | |
| 0.80 mm | red | |
| 0.90 mm | dark blue | |
| 1.00 mm | white | |
| 1.20 mm | green | |

| Crease | | Creasing channel height (H) in mm | | | | | | | | | |
|------------------|------------------|-----------------------------------|------|------|------|---------------------------------|------|----------|----------|------|----------|
| Width MCC (B) | channel width | For rule thicknesses: 2 pt / 3 pt | | | | For rule thicknesses: 3pt / 4pt | | | | | |
| | (L) | 0.30 | 0.40 | 0.45 | 0.50 | 0.60 | 0.70 | 0.80 | 0.90 | 1.00 | 1.20 |
| 10 mm 6 mm | 0.80 | Χ | Χ | | Χ | | | . 1 | | | _ |
| | 1.00 | Χ | X | | Χ | | | - | ← | | . |
| | 1.10 | Χ | X | | Χ | | | | | | H |
| | 1.20 | Χ | Χ | X | Χ | | | В | | | |
| | 1.30 | Χ | Χ | Х | Χ | | | | | | |
| 10 m | 1.40 | Χ | Χ | Х | Χ | X | X | | | | |
| | 1.50 | Χ | Χ | Х | Χ | Х | X | | | | |
| | 1.60 | Χ | Χ | Х | Χ | X | X | | | | |
| | 1.70 | Χ | Χ | | Χ | X | X | Х | | | |
| | 1.80 | Χ | Χ | | Χ | Х | Х | Х | | | |
| | 1.90 | Χ | Χ | | Χ | X | X | Х | | | |
| | 2.00 | Χ | Χ | | Χ | Х | Х | Х | | | |
| | 2.10 | Χ | Χ | | Χ | X | X | Χ | | | |
| 10 mm | 2.20 | Χ | Χ | | Χ | X | X | Χ | | | |
| 10 | 2.30 | Χ | Χ | | Χ | X | X | Χ | X | Χ | |
| | 2.40 | Χ | Χ | | Χ | X | X | Χ | X | Χ | |
| | 2.50 | Χ | Χ | | Χ | X | X | Χ | X | Χ | |
| | 2.60 | Χ | Χ | | Χ | X | X | Χ | X | Χ | |
| | 2.70 | Χ | X | | X | Х | Х | Х | X | X | X |
| | 2.80 | Χ | X | | Χ | X | X | X | X | Χ | X |
| | 2.90 | Χ | Χ | | Χ | X | X | Х | X | Χ | X |
| | 3.00 | Χ | Χ | | Χ | Х | X | Χ | X | Χ | X |
| | 3.20 | | | | Χ | X | X | Χ | X | Χ | X |
| u | 3.30 | | | | | | X | Χ | X | Χ | X |
| 12 mm | 3.50 | | | | | | Х | Χ | X | Χ | X |
| | 4.00 | | | | | | | Х | X | Χ | X |
| | 4.50 | | | | | | | | | Χ | X |
| | 5.00 | | | | | | | | | Χ | X |
| | 5.50 | | | | | | | | | Χ | X |
| | 6.00 | | | | | | | | | Х | X |



COUNTER PLATES. rillma|+.

| Pertinax material | Full format |
|-------------------|---------------------|
| rillma + * | [1,070 mmx1,070 mm] |

| | (1,0701111111111111111111111111111111111 | (1,070 111117 1,070 11111) | | | |
|-----------|--|----------------------------|--|--|--|
| Thickness | Item no. | PU | | | |
| 0.30 mm | 09645 | 1 plate | | | |
| 0.40 mm | 09646 | 1 plate | | | |
| 0.45 mm | 09643 | 1 plate | | | |
| 0.50 mm | 09647 | 1 plate | | | |
| 0.55 mm | 09681 | 1 plate | | | |
| 0.60 mm | 09650 | 1 plate | | | |
| 0.65 mm | 09602 | 1 plate | | | |
| 0.70 mm | 09651 | 1 plate | | | |
| 0.75 mm | 09644 | 1 plate | | | |
| 0.80 mm | 09652 | 1 plate | | | |

Pertinax material Half format rillma|+* [1,070 mmx535 mm]


| Thickness | Item no. | PU |
|-----------|----------|---------|
| 0.30 mm | 09653 | 1 plate |
| 0.40 mm | 09654 | 1 plate |
| 0.45 mm | 09683 | 1 plate |
| 0.50 mm | 09655 | 1 plate |
| 0.55 mm | 09810 | 1 plate |
| 0.60 mm | 09656 | 1 plate |
| 0.65 mm | 09611 | 1 plate |
| 0.70 mm | 09657 | 1 plate |
| 0.75 mm | 09615 | 1 plate |
| 0.80 mm | 09658 | 1 plate |

^{*}without adhesive film; item available with adhesive film

Accessories for rillma and steel counter plates

| Item | Item no. | Version | PU |
|------------------------------|----------|---|------------|
| rillma pin standard | 07094 | 5x18 mm; bevel max. 0.5 mm double-sided | 1,000 pcs. |
| rillma pin plastic | 08919 | head Ø5.5 mm; base Ø8 mm; 21 mm long | 100 pcs. |
| mecosol glue spray universal | 07093 | 500 ml bottle | 1 pc. |
| puller | 07067 | 200 mm, grinded | 1 pc. |
| puller | 07156 | 200 mm, standard | 1 pc. |
| steel counter plate socket | 15013 | for mulitplex dies | 100 pcs. |
| steel counter plate socket | 14312 | for duramar dies | 100 pcs. |
| spring pins | 07085 | Ø6 mmx20 mm, lightweight | 500 pcs. |
| moose rubber rings** | 07088 | light grey, extra strong, Ø6 mmx5 mm | 1,190 pcs. |
| laminating film rillma | 43027 | roll 50 mx1,050 mmx40 μm | 1 pc. |









COUNTER PLATES.CUTTING PLATES.

We cut cutting plates to the contour you require. Suitable for one or more machines. Marbach cutting plates are available in different designs and degrees of hardness. Medium hard (35 HRC) and hard (48 HRC), in different thicknesses. For every requirement.

Packaging unit medium hard plates: 10 pcs. | Packaging unit hard plates: 5 pcs. Further versions as well as milled steel counter plates on request.

| Paperboard processing machines | Item no. |
|--------------------------------|----------|
| 76 | M-4900 |
| 102 | M-4900 |
| 104 | M-4900 |
| 106 | M-4900 |
| 130 | M-4900 |
| 142 | M-4900 |
| 145 | M-4900 |
| 162 | M-4900 |
| | |

| Corrugated board processing machines | Item no. |
|--------------------------------------|----------|
| 1600 | M-4900 |
| 1700 | M-4900 |
| 2000 | M-4900 |
| 2100 | M-4900 |
| | |

Further sizes on request



CUTTING CHASE. COVER PLATES.

With the cutting chase cover plates, you protect your make-ready sheet. And ensure optimum conditions in your platen area. For minimum make-ready times and maximum productivity.

| Machine | Item no. | Thickness |
|---------|----------|-----------|
| 102 | M-0750 | 1 mm |
| 104 | M-0750 | 1 mm |
| 106 | M-0750 | 1 mm |
| 130 | M-0750 | 1 mm |
| 142 | M-0750 | 1 mm |
| 145 | M-0750 | 1 mm |
| 162 | M-0750 | 1 mm |
| 1600 | M-0750 | 6 mm |
| 1700 | M-0750 | 6 mm |
| 2000 | M-0750 | 6 mm |
| 2100 | M-0750 | 6 mm |
| | | |

Accessories

| Item no. | Item | Content |
|----------|--|-----------------------|
| 08965 | marbaclean (for chase frame base plate) | 200 ml |
| 07223 | marba cleaner (for DZL plate and cover plates) | 500 ml spray bottle |
| 07227 | marba cleaner (for DZL plate and cover plates) | 5 refill canister |

Digital zone levelling.

MAKE-READY TIME REDUCTION.

Compensation of machine-related tolerances No zone make-ready necessary

Quick and easy to implement




The die-cutting machine is subject to tolerances caused by wear and tear. For this reason, it was previously necessary to fill worn out zones with make-ready paper when setting up an order. This effort was required for every single order. With digital zone levelling, the process is much more efficient. This zone make-ready only needs to be done once. And then holds on for months to come.

| DZL plate | | DZL plateXL | |
|-----------|-----------|-------------|------------------------------------|
| ltem no. | Machine | Item no. | Machine |
| M-0770 | 76-106er | M-0735 | Mastercut2.1 |
| M-0770 | 130-145er | M-0735 | Mastercut2.1R |
| M-0770 | 162er | M-0735 | Mastercut1.7 |
| M-0770 | 1600er | M-0735 | Mastercut1.7R |
| M-0770 | 2000er | M-0735 | SPO 203 Amatic |
| M-0770 | 1700er | M-0735 | SPO 2000 |
| M-0770 | 2100er | M-0735 | SPO 160 Amatic / 1600 / 160-APR |
| | | M-0735 | SP0 160-S |

Increased machine productivity

Shorter make-ready times

Easy handling



mplaten cleaner-smart.

CLEAN DIE-CUTTING.

For maximum output when die-cutting. The mplaten cleaner-smart is a device for cleaning the die-cutting machine platen. This enables the machine operator to clean the platen efficiently and increase the productivity of the machine. The mplaten|cleaner-smart is easy to handle and inexpensive to purchase. Suitable for all flatbed corrugated board machines and various paperboard machines.

| Item no. | Version |
|----------|-------------------------|
| G-2255 | mplaten cleaner-smart |
| 09973 | cleaning set (1 year) |
| 07231 | Marbach polishing paste |



NICK GRINDING. GRINDING DISCS.

For the use of a nick grinder you need the appropriate grinding discs. Diamond for a long lifetime. Or the cheaper version mafix, for variety in all sizes. Our grinding discs are available with different hole diameters.

| Grinding discs | mafix (50 mm/6 mm hole diameter) | Diamond (50 mm/6 mm hole diameter) |
|----------------|-------------------------------------|--|
| Thickness | Item no. | Item no. |
| 0.2 mm | 07002 | 912242 |
| 0.3 mm | 07003 | 912243 |
| 0.4 mm | 07004 | 912244 |
| 0.5 mm | 07005 | 912245 |
| 0.6 mm | 07006 | 912246 |
| 0.7 mm | 07007 | 912247 |
| 0.8 mm | 07008 | 912248 |
| 0.9 mm | 07009 | 912249 |
| 1.0 mm | 07010 | 912250 |
| 1.1 mm | 07011 | 912251 |
| 1.2 mm | 07012 | 912252 |
| 1.3 mm | 07013 | 912253 |
| 1.4 mm | 07014 | 912254 |
| 1.5 mm | 07015 | 912255 |
| 1.6 mm | 07016 | 912256 |
| 1.7 mm | 07017 | 912257 |
| 1.8 mm | 07018 | 912258 |
| 1.9 mm | 07019 | 912259 |
| 2.0 mm | 07020 | 912260 |
| 2.5 mm | 07025 | 912261 |
| 3.0 mm | 07000 | 912262 |





NICK GRINDER.

THE EFFECTIVE ONE.

Transport nicks should be ground in. For maximum strength. We have the right solution for every requirement.

| Item no. | Name |
|----------|--|
| G-2135 | nick grinder with rechargeable battery |
| G-2136 | spare battery for G-2135 |

further nick grinders available on request

marbanick|2+.

THE FAST ONE.

For the subsequent optimization of waste nicks, the marbanick|2+ is the optimal solution. With its different impact levels, it combines the functionality of 3 devices in one. And impresses with its integrated quick-change function. And four different wedge sizes (0.3, 0.4, 0.5 and 0.6 mm). These features make the marbanick|2+ extremely flexible and cost-efficient.

| Item no. | Name |
|----------|-----------------|
| 34162 | marbanick 2+ |
| 09971 | magnetic holder |

Nick changing system.

THE FLEXIBLE ONE.

Flexibility is important when it comes to nicks. That's what the nick changing system for corrugated board applications is for. With it, a cutting-die can be perfectly set-up for different material characteristics in the least possible time.

Note : Special preparation of the cutting-die is necessary.

| Item no. | Name |
|----------|--|
| 04900 | nick changing system case with accessories for flat corrugated board |
| 04900 | nick changing system case with accessories for rotary corrugated board |


18 Handheld devices. 19

mcut|multi.

THE ALLROUNDER.



An indispensable handheld device. 3 devices in one. Multifunctional and with digital gauge. The mcut|multi can not only cut rules, but also lips. And it can also notch. For rule materials from 2 pt to 3 pt. It cuts steel quickly and without deformation. And it does so with a very small footprint.



Item no. Name
G-2920 mcut|multi

mbend.

THE MANIFOLD.



| Ite | em no. | Name |
|-----|--------|--|
| G- | 2330 | mbend |
| G- | 2331 | 25-piece bending insert set (1.5 pt - 3 pt) |
| G- | 2332 | 102-piece bending insert set (1.5 pt - 3 pt) |

The mbend. A manual bending device for optimum bending processes. And for precisely bent rules. Robust, variable and easy to handle. For rule thicknesses from 1.5 to 4 pt. And rule heights from 8 to 50 mm. With an extensive range of standard bending forms. With the special scale, depth setting is quick and accurate. The possibility of locking ensures precise repeatability.









mcut round.

THE DEFINED ONE.

Simple and clever. That is the mcut|round. This special handheld device rounds off the ends of flat or rotary creasing rules in a defined manner. In consistent quality, from the first to the last creasing rule. This prevents the paperboard from bursting at the creasing ends. The mcut|round cuts radii of 3 or 5 mm. Its cutting elements are wear-resistant, and repeated regrinding is possible. The mcut|round stands for high durability and best creasing performance.

| Item no. | Name |
|----------|------------|
| G-2730 | mcut round |

mcut | matrix.

THE PRECISE ONE.

The mcut|matrix cuts creasing channels. Fast, precise and safe. It is a flexible, ergonomic, very robust handheld device that is perfectly adapted to the conditions in production. The infinitely variable gauge can be used for a wide variety of creasing geometries. Thus, it not only ensures exact cutting results, but also maximum flexibility. The special design of the mcut|matrix ideally reduces the required cutting force. For little effort when cutting creasing channels.

| Item no. | Name |
|----------|-------------|
| G-2740 | mcut matrix |

mrule extractor.

THE SAFE ONE.

The rule puller mrule extractor is indispensable as an effective helper on the die-cutting machine. It is used whenever damaged knives need to be safely removed from a cutting-die and replaced with replacement knives. With the mrule extractor, rules are drawn easily, in a controlled, precise and safe manner. Safe for the user and safe for the cutting-die. The optimum pre-requisite for a perfect fit of the replacement knives.

| ntem no. | Name |
|----------|---|
| G-3300 | mrule extractor optionally with clamping jaw set 2pt - 8p |

20 Workbenches, lamps & trimknifes. Workbenches, lamps & trimknifes. 21

mbench smart.* THE CLEVER ONE.



G-2180 Item no.:

Dimensions (lxwxh): 1,500×700×1,100 mm

(Back panel: 1,500 mm)

Drawers: 5 pcs., width > 1.000 mm

Rear wall: with 6 shelves

Work surface: anti-slip rubberized surface Wheels: lockable heavy duty wheels

*Now also available with full equipment. Please contact us.

Maximum flexibility and efficiency: With the mobile repair workstation mbench|smart you will be prepared for all situations. For reworking the cutting-die, e.g. directly at the die-cutting machine. Its smooth-running heavy-duty wheels ensure safe and quick transport to its place of use. Due to the optional equipment with important rule processing devices such as the hand bender mbend or the multifunctional device mcut|multi for cutting to length, notching and lipping, it will become an indispensable companion in your production. The 5 integrated drawers offer plenty of space for your

mbench|smart. Your mobile companion for fast and cost-saving on-site repair of your tools.

accessories. The rear panel includes 6 shelves for different

cutting rules, easily accessible via a central access opening.

LED WORK LIGHT.

THE FLEXIBLE ONE.


High luminosity

Flexibly adjustable

Best visibility at the workplace



Our special LED work light provides optimum illumination of your tool processing surface. With its strong luminosity of 950 lumens, the LED work light is very bright. And it does so with low energy consumption. In addition, it is very flexible: because it can be magnetically attached to any place on your work table and also has an arm that can be adjusted in all directions. This means that the LED light can always be used to optimally illuminate the desired area. For the best visibility when machining your tools.





Item no.: G-2181

Dimensions (Ixwxh): 1,340 x 1,340 x 1,000 mm Drawers: 9 pcs., width > 1,000 mm

Mounting plate: 700 x 1,000 mm

steel plate and anti-slip rubberized Work surface:

surface

Wheels: lockable heavy duty wheels

*Now also available with full equipment. Please contact us.

mbench|pro.*

THE UNIVERSAL ONE.

mbench|pro. The professional assembly table for your tool preparation. It is larger than the mbench|smart. And even more versatile. A complete workstation with assembly surface. In the 9 drawers you have plenty of space for accessories and important equipment for processing your cutting dies. Of course, the mbench|pro can also be equipped with the most important rule processing equipment. And just like the mbench|smart, it has smooth-running heavy-duty wheels for maximum mobility.

The mbench|pro. Your mobile assembly table for maximum performance in your die preparation.



In 6 different heights

Including shimfoils & rubber



trimknife multi.

THE SPECIAL ONE.

trimknife|multi. These screw-on separation knives are the solution when the tool's waste separation knives need to be replaced or extended. Available as a single item or as a complete set including accessories. The special feature: you can have the right length of separation knife in no time at all. Simply divide the cutting rule at the perforation with a kink. And that's it. In this way, a 100 mm long knife can be turned into different knife lengths (64, 40, 35 and 25 mm).

| tem no. | Name | Dieboard | Rule height | |
|---------|-----------------|----------|-------------|--|
| 04355 | trimknife multi | 15 mm | 23.80 mm | |
| 14367 | trimknife multi | 18 mm | 23.80 mm | |
| 04368 | trimknife multi | 12 mm | 23.80 mm | |
| 14369 | trimknife multi | 15.87 mm | 23.80 mm | |
| 14377 | trimknifelmulti | 18 mm | 23.60 mm | |

Tool Organizer Set 1.

THE TIDY ONE.



The Marbach Tool Organizer Set 1 keeps your die-cutting machine tidy. It consists of special magnetic rails, which are equipped with wrenches and magnetic hooks for make-ready tapes. For immediate access directly at the die-cutting machine. This reduces walking distances and search times.

Organize your workplace - and save valuable time in the production of your packaging.

Item no. Name

44251 Tool Organizer Set 1



Tool Organizer Set 2.

THE TIDY ONE.

The Tool Organizer Set 2 provides even more order at the workplace and consists of a magnetic tape dispenser and two adhesive tapes: The transparent one ensures that the edges of the make-ready sheet are protected, the light blue one secures it in the cutting chase. For immediate access directly at the die-cutting machine. This saves you walking distances and search times.

Organize your workplace - and save valuable time when producing your packaging.

Item no. Name

44252 Tool Organizer Set 2



TOOLS.



Scissors

Different versions of scissors. To cut rubber easily and safely.

- combo scissors, red, 190 mm length (13018)
- small scissors, yellow, 160 mm length (13109)

Item no. Name 13018 combo scissors, red 13109 scissors small, yellow



Bevelling scissors

Item no. Name

15639

Special scissors to cut crearubber in the right angle. With exchangeable spare blades (PU = Pack of 5).

bevelling scissors



Gripping pliers

Special gripping pliers with tip for quick and easy removal of rules or rubber. Also suitable for narrowest areas.

| Item no. | Name |
|----------|---------------------------------|
| 06099 | gripping pliers DIN ISO 9655 |





Pliers

Assembly pliers in different versions. Ideal for the assembly of cutting-dies. In daily use at Marbach. The inexpensive alternative to rule pullers.

07067 assembly pliers (red handle)

04902 assembly pliers long

Item no. Name





marbaglue

Adhesive for applying rubber on cutting-dies. Available in different versions depending on requirements: 06092 for flat paperboard dies, 06093 for rotary corrugated board dies and 06094 for flat and rotary corrugated board dies.

| Item no. | Name |
|----------|-------------------------------------|
| 06092 | plug cap (paperboard) 20g |
| 06093 | twist cap (corrugated board) 20g |
| 06094 | twist cap (corrugated board) 50g |



Aluminum hammer with exchangeable head

Aluminum hammer with exchangeable heads. For assembly of rules in folding carton cutting-dies. Optimal for mpower cutting rules and for creasing rules.

| Item no. | Name |
|----------|------------------------------|
| 08498 | alu hammer Ø 25 mm |
| 00234 | set interchangeable heads |

Soft face hammer

heads available.

Item no. Name

Hammer with a special soft head

for the assembly of very sharp

cutting rules in folding box and

Easily replaceable nylon spare

08366 soft face hammer Ø25

08495 set interchangeable

corrugated board cutting-dies.



Polyurethane hammer

Special polyurethane hammer for the assembly of rules in rotary corrugated board cutting-dies. Robust, durable and for best force transmission. Very pleasant to handle due to its easy detachment from the rule.

| Item no. | Name |
|----------|---------------------|
| 08986 | Ø50x125 mm; 400 g |
| N8731 | Ø70 x 115 mm· 710 a |





Aluminum hammer

Hammer with aluminum head for mounting rules in folding box and corrugated board cutting-dies. Optimally suited for mpower cutting rules and for creasing rules.

| • | - | |
|---|---|--|

Adjustment fork

Adjustment fork for exact alignment of rules at the rule joints. Simple and quick. With impact protection.

| Item no. | Name |
|----------|------------------|
| 08498 | 40x75 mm; 250 g |
| 08499 | 40x100 mm; 350 g |

Item no. Name 10200 adjustment fork

PU (Packing unit) = 1 pc. each PU (Packing unit) = 1 pc. each



DIEBOARD-MATERIAL.

Dieboards, made of high quality birch wood. With very uniform surface. Perfectly laserable. This is the base for your cutting-die. In various sizes and thicknesses. Varnished or unvarnished. For flat or rotary cutting-dies. The right solution for every requirement.

Flat plywood

| Item no. | Thickness (mm) |
|------------|------------------|
| on request | 6.5 varnished |
| on request | 9.0 varnished |
| on request | 12.0 varnished |
| on request | 15.0 unvarnished |
| on request | 15.0 unvarnished |
| on request | 18.0 unvarnished |
| | |

other sizes and thicknesses on request

Rotary half shells

| Item no. | Thinkness (mm) | Length (mm) | Diameter (mm) |
|------------|----------------|-------------|---------------|
| on request | 13 | 1,900 | Ø 177 |
| on request | 13 | 1,700 | Ø 270 |
| on request | 13 | 2,100 | Ø 270 |
| on request | 13 | 2,100 | Ø 381 |
| on request | 13 | 2,000 | Ø 487 |
| on request | 13 | 2,100 | Ø 487 |
| on request | 13 | 2,500 | Ø 487 |
| | | | |

other sizes and diameters on request



28 Cutting rules. 29

CUTTING RULES.

PIECE BY PIECE. OR BY THE COIL.





For perfect die-cutting results, the rule material is of great importance. The selection depends on your individual requirements.


Marbach has an extensive portfolio of rule materials. For every application and for every need. Whether short or long runs. No matter what needs to be die cut: Coated or uncoated material. Plastic or foam. The right rule for every application. Meter pcs. (all item numbers with "M" at the end) for manual and roll material for machine processing.


mpower. The original.

A standard developed by Marbach. The mpower cutting rule. The trick: a rounded cutting edge that compensates tolerances and eliminates angel hair. Which is almost immune to overpressure. For the shortest make-ready times. Simply for maximum die-cutting performance from the first to the last sheet.

| Item no.* | Thickness | Chamfer | PU/Roll |
|-----------|-----------|-------------------|---------|
| 01212 | 2pt | center bevel | 100 m |
| 01977 | 2pt | center bevel 42° | 100 m |
| 01986 | 3pt | center bevel | 75 m |
| 01252 | 3pt | long center bevel | 75 m |

*item also available by the meter






Cutting edge



Shaved cutting edge
Precisely processed.
Reliable over many years.
The standard.



Precise cutting edges.
Reduced cutting pressure.
Penetrates easily through the material.



Winding direction


Clockwise

The correct winding direction.

For your bending machine.


And your application. Clockwise.

Cutting angle




Anti-clockwise
The correct winding direction.
For your bending machine.
And your application. Anticlockwise.


Cutting edge geometries




D – center bevelThe standard for cutting paperboard. Also available as side bevel.



D4 – long center bevelFor thick materials. The standard for corrugated board. Also available as side bevel.



42° cutting angle
The cutting rule penetrates
easily into the material. Lower
cutting pressure is needed.
The standard in America.



52° cutting angleThe cutting rule is very robust.
It has a long service life. The standard in Europe and Asia.

30 Cutting rules flat.

mhard.

THE HARDENED ONE.



mhard has a hardened edge. The advantages of mhard: it distinguishes itself by providing a long service life and high stability. With little abrasion. The mhard is a great fit for medium runs.

| Item no.* | Thickness | Chamfer | PU/Roll |
|-----------|-----------|-------------------|---------|
| 00985 | 2pt | center bevel | 100 m |
| 01045 | 2pt | long center bevel | 100 m |
| 02505 | 3 pt | center bevel | 75 m |
| 01073 | 3 pt | long center bevel | 75 m |

*item also available by the meter



THE DURABLE ONE.



mpower|s. For very special requests. mpower|s has the same cutting geometry as mpower. mpower|s is very hard and therefore resistant to abrasive wear and tear. This makes it very durable. Its main use: die-cutting of cosmetic packaging and corrugated board.

| Item no.* | Thickness | Chamfer | PU/Roll |
|-----------|-----------|-------------------|---------|
| 10084 | 2pt | center bevel | 100 m |
| 10085 | 3pt | long center bevel | 75 m |

*item also available by the meter

mgold.

THE SPECIAL ONE.



The special cutting rule mgold. Impressive hardness. mgold has a 42° cutting edge. Therefore it is very sharp and works perfectly for cut scores. mgold is optimal for long runs and critical material. Also for cutting metallized cartons and thin metal foils.

| Item no.* | Thickness | Chamfer | PU/Roll |
|-----------|-----------|----------------------|---------|
| 20010 | 2pt | center bevel; 55 HRC | 100 m |
| 20011 | 2pt | center bevel; 60 HRC | 100 m |

*item also available by the meter

mgold +. THE VERY SPECIAL ONE.



Like its little brother mgold, this cutting rule has a 42° edge. Due to this and its special coating, it is not only very sharp but also very hard and therefore suitable for the highest demands. It is extremely resistant to abrasion and is thus used when maximum tool life is required for die-cutting critical materials.

| Item no.* | Thickness | Chamfer | PU/Roll |
|-----------|-----------|----------------------|---------|
| 20020 | 2pt | center bevel; 60 HRC | 100 m |
| | | | |

*item also available by the meter



mhard|r.

Our rules are available in different diameters.

Special rotary cutting rule for processing corrugated board. It protects the counter material and ensures waste-free die-cutting. For best productivity. Available in different height and diameter versions.

| Item no. | Name | PU |
|----------|--|--------|
| 08430 | 1.42 x 25.40 mm curved Ø 487 mm; 8 TPI | 30.5 m |
| 08431 | 1.42 x 25.40 mm straight; 8 TPI | 30.5 m |
| 08535 | 1.42 x 24.60 mm straight; 8 TPI | 30.5 m |
| 08536 | 1.42 x 24.60 mm curved Ø 487 mm; 8 TPI | 30.5 m |
| 08533 | 1.42x23.80 mm straight; 8 TPI | 30.5 m |
| 08534 | 1.42 x 23.80 mm curved Ø 487 mm; 8 TPI | 30.5 m |



Perforation rule.

Rotary perforation rule for corrugated board packaging. Ensures exact and easy folding of the blanks. And functional opening mechanisms.

Name

rotation-perforation rule; 1.42 x 23.8 mm; different gaps/cuts rotation-perforation rule; 1.42 x 24.6 mm; different gaps/cuts rotation-perforation rule; 1.42 x 25.4 mm; different gaps/cuts

other combinations on request.



mhard|r+.

New generation of rotary cutting rules. Due to its unique knife hardening and its special corrugated grinding technology, the mhard|r+ cuts the corrugated board very easily. For a smooth die-cutting result – even with high grammages and heavy corrugated board.

| Item no. | Name | PU |
|----------|--|--------|
| 52911 | 1.42×25.40 mm straight; 8 TPI | 30.5 m |
| 52914 | 1.42×25.40 mm curved Ø 487 mm; 8 TPI | 30.5 m |
| 52916 | 1.42×25.40 mm curved Ø 645 mm; 8 TPI | 30.5 m |
| 52913 | 1.42×26.40 mm straight; 8 TPI | 30.5 m |
| 52917 | 1.42 x 26.40 mm curved Ø 487 mm; 8 TPI | 30.5 m |
| 52912 | 1.42x26.40 mm curved Ø 645 mm; 8 TPI | 30.5 m |



Creasing rule.

Standard creasing rule for creasing thin corrugated board. For good creasing results. And functioning folding mechanisms.

| Item no. | Name | PU |
|----------|---------------------------------|--------|
| 08208 | 22.80x1.42 mm curved Ø 487 mm | 30.5 m |
| 08269 | 22.10x1.42 mm curved Ø 487 mm | 30.5 m |
| 01466 | 23.00×1.42 mm | 45.7 m |
| 01467 | 23.10 x 1.42 mm | 45.7 m |



Sawtooth rule.

Rotary cutting rule in special sawtooth version for processing corrugated board. Available in straight and curved versions.

| Item no. | Name | PU | |
|----------|------------------------------------|--------|--|
| 10682 | 1.42 x 25.80 mm straight; 20 TPI | 40.0 m | |
| 09404 | 1.42×25.80 mm curved Ø 487; 20 TPI | 30.5 m | |



Reduced body creasing rule.

Rotary creasing rule in special version for heavy corrugated board types. And double flute. Provides best results with 180° folds.

| Item no. | Name | PU |
|----------|---|--------|
| 08422 | 22.10 x 3.00 x 1.42 mm I curved Ø 487 mm; flat head | 30.5 m |
| 08578 | 23.00 x 3.00 x 1.42 mm I curved Ø 487 mm; flat head | 30.0 m |
| 08669 | 22.60x3.00x1.42 mm straight; flat head | 25.0 m |
| 08468 | 23.00x3.00x1.42 mm straight; flat head | 25.0 m |



Creasing rules.

| | Item no. | Thickness | Height | РИ |
|----------------|------------|-----------|---------------------------|-------|
| | 01359 | 2pt | 23.20 mm | 20 m |
| | 01360 | 2pt | 23.25 mm | 20 m |
| | 01361 | 2pt | 23.30 mm | 100 m |
| | 01363 | 2pt | 23.40 mm | 100 m |
| | 01365 | 2pt | 23.50 mm | 100 m |
| 2pt (0.71mm) | 01366 | 2pt | 23.60 mm | 100 m |
| | 01368 | 2pt | 23.80 mm | 20 m |
| | on request | 2pt | 22.00-23.90 mm | 20 m |
| | 01425 | 3pt | 22.60 mm | 20 m |
| _ | 01428 | 3pt | 22.80 mm | 20 m |
| | 01405 | 3pt | 23.00 mm | 20 m |
| - | 01407 | 3pt | 23.20 mm | 20 m |
| | 01408 | 3pt | 23.30 mm | 60 m |
| 3pt (1.05mm) | 01409 | 3pt | 23.40 mm | 50 m |
| | 01410 | 3pt | 23.50 mm | 68 m |
| | 01411M | 3pt | 23.60 mm | 75 m |
| | on request | 3pt | 21.50-23.90 mm | 20 m |
| _ | 01306 | 4pt | 21.70 mm | 20 m |
| - | 01314 | 4pt | 22.60 mm | 20 m |
| | 01483 | 4pt | 22.80 mm | 20 m |
| | 01466 | 4pt | 23.00 mm | 20 m |
| 4pt (1.42mm) | 01468 | 4pt | 23.20 mm | 20 m |
| 4 pt (1.42 mm) | on request | 4pt | 21.50-27.00 mm | 20 m |
| | on request | 3/6 pt | 22.20-23.40 mm WRT/WFT | 20 m |
| WRT WFT | on request | 3/8 pt | 22.20-23.40 mm WRT/WFT | 20 m |

| | Item no. | Thickness/ Name | HeightxThickness [mm] | РИ |
|--|-----------------|--------------------|--|------|
| | 50268 | ТТ | 23.60 mmx2pt | 20 m |
| Crease TT 2pt (0.71mm) | 50267 | ТТ | 23.70 mmx2pt | 20 m |
| | 01544M | NT 2/1pt | 23.00 mmx2pt | 20 m |
| - | 01545M | NT 2/1pt | 23.10 mmx2pt | 20 m |
| | 01546M | NT 2/1pt | 23.20 mmx2pt | 20 m |
| | 01548M | NT 2/1pt | 23.30 mmx2pt | 20 m |
| | 01562 | NT 2/1pt | 23.85 mmx2pt | 20 m |
| Crease NT 2pt 2/1pt (0.71/0.36 mm) | 04165 | NT 2/1,5pt | 23.60 mmx2pt | 20 m |
| 2/1.5pt (0.71/0.53 mm) | 01527 | NT 2/1,5pt | 23.85 mmx2pt | 20 m |
| 1 | 08860 | Headcrease | 22.80 mm x 4/8 pt | 20 m |
| | 10472 | Headcrease | 23.00 mm x 4/8 pt | 20 m |
| | 08722 | Headcrease | 22.60 mmx4/8pt | 20 m |
| Headcrease | 50343 | Headcrease | 23.30 mmx2pt 20 m 23.85 mmx2pt 20 m 23.60 mmx2pt 20 m 23.85 mmx2pt 20 m 22.80 mmx4/8pt 20 m 23.00 mmx4/8pt 20 m 23.00 mmx4/8pt 20 m 23.00 mmx4/8pt 20 m 23.00 mmx4/8pt 20 m 22.80 mmx4/8pt 20 m 23.00 mmx4/8pt 20 m 23.00 mmx4/8pt 20 m 23.00 mmx4/8pt 20 m 23.00 mmx4/8pt 20 m 22.80 mmx4/8pt 20 m 22.80 mmx4/8pt 20 m 22.80 mmx4/8pt 20 m 22.80 mmx4/8pt 20 m | |
| 10472 Headcrease 23 08722 Headcrease 23 Headcrease 50343 Headcrease 23 50312 Multicrease 23 | 22.80 mmx4/8 pt | 20 m | | |
| | 50311 | Multicrease | 23.00 mmx4/8 pt | 20 m |
| <i></i> | 50307 | Multicrease | 22.60 mmx4/8pt | 20 m |
| Second Second | 50308 | Multicrease | 22.80 mmx4/8 pt | 20 m |
| Multicrease | 50315 | Multicrease | 23.00 mmx4/8 pt | 20 m |
| | 01168 | Wave crease | 22.40 mmx3pt | 20 m |
| | 01166 | Wave crease | 22.60 mmx3pt | 20 m |
| | 01164 | Wave crease | 23.00 mmx3pt | 20 m |
| Wave crease | 01163 | Wave crease | 23.20 mmx3pt | 20 m |
| | | | | |



Crease-cut combination rules.PERFORATION RULES.

Perforation rules are available in different versions. In the thicknesses 2 pt, 3 pt or 4 pt. All rules are available by the meter. For completely individual perforations.

| Perforation | Thickness | PU |
|-------------|-----------|------|
| (1 6 | 2pt | 20 m |
| | 3 pt | 20 m |
| | 4pt | 20 m |

| Combo- perforation | Thickness | PU |
|-----------------------|-----------|------|
| a - b - | 2pt | 20 m |
| HS HR | 3pt | 20 m |
| | 4pt | 20 m |



Tear perforation rules for flat cutting-dies. 37

Tear perforation rules.

Tear perforation rules are available in different versions. Left or right. In thicknesses of 2 pt or 3 pt. For tear open mechanisms that work. All rules are available by the meter.

Fishbone rule

| Item no. | Thickness | Height | PU |
|----------|-----------|----------|------|
| 10549M | 2pt 3pt | 23.80 mm | 20 m |
| 10548M | 2pt 3pt | 23.80 mm | 20 m |
| 10547M | 2pt 3pt | 23.80 mm | 20 m |
| 10540M | 2pt | 23.80 mm | 20 m |
| | | | |

further tear perforation rules on request

Sharklinie


| Item no. | Thickness | Height | PU |
|----------|-----------|----------|------|
| 01446M | 2 pt | 23.80 mm | 20 m |
| 01433M | 3pt | 23.80 mm | 20 m |

further tear perforation rules on request

38 Special rules.. Our rules are available in different versions.

Wave rule.

Special rule with waved edge. This is used when the packaging should be equipped with safe cutting edges. For increased safety when finished products are assembled.





| Item no. | Type | Thickness | Height | PU |
|----------|--------|-----------|----------|------|
| 01102 | 2.0 mm | 3pt | 23.80 mm | 20 m |
| 01102M | 2.0 mm | 3pt | 23.80 mm | 20 m |
| 01101 | 3.5 mm | 3pt | 23.80 mm | 20 m |
| 01101M | 3.5 mm | 3pt | 23.80 mm | 20 m |
| 01162 | 5.0 mm | 3pt | 23.80 mm | 20 m |
| 01162M | 5.0 mm | 3pt | 23.80 mm | 20 m |

Special geometric rule.



Further development of the wave rule for flat tools. Optimized cutting edge protection for users. Resulting in highest safety when assembling finished products. The cutting result is similar to a rotary cut packaging with mhard|r.



| Item no. | Name | PU |
|----------|----------------|------|
| Π1121 | 105 v 23 80 mm | 2Π m |

Deckle edge rule.

Special rule with edge for stamped outer contour. When cut with a deckle edge rule the produced packaging gets an attractive look and convinces with it's aesthetic look.





| Item no. | Name | PU |
|----------|-----------------|------|
| 01832M | 1.05 x 23.80 mm | 20 m |
| 01934M | 1.05 x 23.80 mm | 20 m |

Special rule.

A special cutting knife for optimal reverse cutting of the paperboard material. Highly precise and very sharp. For tear mechanisms that not only work perfectly, but are also visually attractive.







HOLE PUNCHES. BENT CUTTING CIRCLES.

To cut perfect round circles, there are several options: Bent cutting circles or hole punches. For small diameters up to 10 mm, ready-made hole punches are the perfect solution. For diameters of 11 mm and more, we recommend bent mpower cutting circles made of hardened steel. With brass ejector and adjustable pressure spring.

| sure spring. | | | | |
|----------------------|----------|----|----------|--|
| Bent cutting circles | Item no. | Ø | Height | |
| | 02472 | 11 | 23.80 mm | |
| | 02473 | 12 | 23.80 mm | |
| | 02474 | 13 | 23.80 mm | |
| | 02475 | 14 | 23.80 mm | |
| | 02477 | 15 | 23.80 mm | |
| | 02476 | 16 | 23.80 mm | |
| | 02478 | 17 | 23.80 mm | |
| | 02870 | 18 | 23.80 mm | |
| | 02871 | 19 | 23.80 mm | |
| | 02865 | 20 | 23.80 mm | |
| | 02864 | 21 | 23.80 mm | |
| | 02863 | 22 | 23.80 mm | |
| Finished | 02872 | 23 | 23.80 mm | |
| parts mpower | 02862 | 24 | 23.80 mm | |
| | 02860 | 25 | 23.80 mm | |
| | 02866 | 26 | 23.80 mm | |
| | 02873 | 27 | 23.80 mm | |
| | 02867 | 28 | 23.80 mm | |
| | 02861 | 30 | 23.80 mm | |
| | 02875 | 31 | 23.80 mm | |
| | 02868 | 32 | 23.80 mm | |

02874


02869


34

35

23.80 mm


23.80 mm





| 02799 | 1 | 23.80 mm | |
|------------------------------------|----|----------|--|
| 02801 | 2 | 23.80 mm | |
| 02803 | 3 | 23.80 mm | |
| 02805 | 4 | 23.80 mm | |
| 02807 | 5 | 23.80 mm | |
| 02809 | 6 | 23.80 mm | |
| 02811 | 7 | 23.80 mm | |
| 02813 | 8 | 23.80 mm | |
| 02815 | 9 | 23.80 mm | |
| 02817 | 10 | 23.80 mm | |
| **on request available up to 20 mm | | | |

^{**}on request available up to 20 mm



SAFETY CUTS.

Safety cuts ensure secure closure of folding boxes. With strip steel elements equipped with a special bendfree grind, their execution in the packaging always succeeds. This is because it ensures an exact rule height, even at a bent angle. All sizes are available in left and right versions.

| Item no. | Description | Dimensions (LxW) | Bending site | PU |
|----------|-------------------|------------------|--------------|------------|
| 02905 | Safety cut no. 5 | 5x5mm | right | 3,000 pcs. |
| 02925 | Safety cut no. 5 | 5x5mm | left | 3,000 pcs. |
| 02906 | Safety cut no. 6 | 6x5mm | right | 3,000 pcs. |
| 02926 | Safety cut no. 6 | 6x5mm | left | 3,000 pcs. |
| 02907 | Safety cut no. 7 | 7x5mm | right | 2,100 pcs. |
| 02927 | Safety cut no. 7 | 7x5mm | left | 2,100 pcs. |
| 02908 | Safety cut no. 8 | 8.5x5mm | right | 1,900 pcs. |
| 02928 | Safety cut no. 8 | 8.5×5 mm | left | 1,900 pcs. |
| 02909 | Safety cut no. 9 | 10×5 mm | right | 1,600 pcs. |
| 02929 | Safety cut no. 9 | 10×5 mm | left | 1,600 pcs. |
| 02910 | Safety cut no. 10 | 11x5mm | right | 1,500 pcs. |
| 02930 | Safety cut no. 10 | 11x5mm | left | 1,500 pcs. |
| 02911 | Safety cut no. 11 | 12x5mm | right | 1,300 pcs. |
| 02931 | Safety cut no. 11 | 12x5mm | left | 1,300 pcs. |



CORRUGATED BOARD RUBBERING.

FORM PARTS FOR FLAT DIE-CUTTING.

Flat die-cutting of corrugated board requires a rubbering perfectly matched to the material. Our extensive rubber range ensures productivity in the production of your packaging. As sheet material, profiles or form parts.

Form parts

| Item no. | Name | Dimensions | Hardness | Color |
|-------------|----------------------|--------------|----------|-------|
| 15819CF-10 | cellrubber softpower | 10×10×500 mm | 20 shore | black |
| 15819CF-10A | cellrubber softpower | 10×10×500 mm | 20 shore | black |
| 03345CF-13 | cellrubber softpower | 13x13x500 mm | 20 shore | black |
| 03345CF-13A | cellrubber softpower | 13x13x500 mm | 20 shore | black |
| 03312CF-10 | marbaject | 10×10×500 mm | 20 shore | black |
| 03350CF-13 | marbaject | 13×13×500 mm | 20 shore | black |

CORRUGATED BOARD RUBBERING.

PROFILES FOR FLAT DIE-CUTTING.

Profiles

| Item no. | Name | Dimensions | Hardness | Color | Profile |
|----------|--------------------------------------|--------------------|----------|--------|---------|
| 20094 | C3 flat | 7×12.5×1,000 mm | 60 shore | black | |
| 00388 | C3-O | 7.5×12.5×1,000 mm | 65 shore | red | |
| 20042 | profile rubber hard | 9.1/7.0×5×1,000 mm | 75 shore | white | |
| 00436 | profile rubber hard | 8.5/7.5×5×1,000 mm | 75 shore | white | |
| 00415 | profile rubber hard | 11/9x5x1,000 mm | 75 shore | white | |
| 00390 | profile rubber easy crease | 8×15×600 mm | 20 shore | black | |
| 00413 | profile rubber easy crease | 9x15x600 mm | 55 shore | black | |
| 00412 | profile rubber easy crease | 11×15×600 mm | 55 shore | black | |
| 20090 | G 2.5 – C11 soft red | 11×12.5×1,000 mm | 25 shore | red | |
| 10969 | profile Vulkollan [®] | 14x14x530 mm | 40 shore | yellow | |
| 00442 | profile Vulkollan [®] | 10 x 10 x 480 mm | 40 shore | yellow | |
| 03542 | wedge profile Vulkollan [®] | 12×16×500 mm | 40 shore | yellow | |
| 03543 | wedge profile Vulkollan [®] | 14×16×500 mm | 40 shore | yellow | |

Rubbering. 43



CORRUGATED BOARD RUBBERING. FORM PARTS FOR ROTARY DIE-CUTTING.

When rotary die-cutting corrugated board, the ejector function is particularly important. We know exactly which rubber should be used at which place. And have an extensive range of rubber materials. The choice is yours.

Form parts


| Item no. | Name | Dimensions | Hardness | Color |
|-------------|----------------------|--------------------|----------|-------|
| 15821C-1230 | cellrubber softpower | 12×12×30 mm | 20 shore | black |
| 15821C-1240 | cellrubber softpower | 12x12x40 mm | 20 shore | black |
| 15822C-1430 | cellrubber softpower | 14x14x30 mm | 20 shore | black |
| 15822C-1440 | cellrubber softpower | 14x14x40 mm | 20 shore | black |
| 15822CF-14 | cellrubber softpower | 14x14x500 mm | 20 shore | black |
| 15822CF-14A | cellrubber softpower | 14x14x500 mm | 20 shore | black |
| 06596 | marbaject | 12x12x40 mm | 20 shore | black |
| 03596CF-25 | marbaject | 7x25x1,000 mm | 15 shore | black |
| 03597CF-25 | marbaject | 10 x 25 x 1,000 mm | 15 shore | black |
| 03328C-14 | marbaject | 14x14x500 mm | 20 shore | black |
| 06593 | marbaject | 16×16×30 mm | 20 shore | black |



CORRUGATED BOARD RUBBERING. PROFILES FOR ROTARY DIE-CUTTING.

Profiles

| Item no. | Name | Dimensions | Hardness | Color | Profile |
|----------|--------------------------------|--------------|----------|--------|---------|
| 09775M | profile Vulkollan [®] | 10×12×500 mm | 35 shore | yellow | |
| 10969 | profile Vulkollan [®] | 14x14x530 mm | 40 shore | black | |
| 03354 | marbaprofile cushion | 6.35×20 mm | 70 shore | black | |
| 03355 | marbaprofile cushion | 6.99 x 20 mm | 70 shore | black | |
| 03356 | marbaprofile cushion | 7.50 x 20 mm | 70 shore | black | |
| 03358 | marbaprofile cushion | 8.50×20 mm | 70 shore | black | |
| 03360 | marbaprofile cushion | 9.65x20 mm | 70 shore | black | |
| 03363 | marbaprofile cushion | 9.40×20 mm | 70 shore | black | |
| 03357 | marbaprofile cushion | 8.00×20 mm | 70 shore | black | |
| | | | | | |



RUBBERING PAPERBOARD.

FORM PARTS & PROFILES FOR FLAT DIE-CUTTING.


When die-cutting paperboard, the rubbering plays an important role in the die-cutting process. Different paperboard materials require different rubbering. For optimum functionality, the rubbering must be individually adapted to the requirements of the job. The rubbering materials used by Marbach are diverse. And all from carefully selected suppliers. Many even produced exclusively for us. This ensures a long service life and best functionality.

Form parts

| Item no. | Name | Dimensions | Hardness | Color |
|------------|------------------------|------------|----------|--------|
| 03044CF-07 | moose rubber | 7x7x500 mm | 35 shore | grey |
| 03007CF-07 | Vulkollan [®] | 7x7x500 mm | 40 shore | yellow |
| 03014CF-07 | Vulkollan [®] | 7x7x500 mm | 55 shore | yellow |
| 03074CF-07 | cellrubber | 7x7x500 mm | 15 shore | black |

Profiles

| Item no. | Name | Dimensions | Hardness | Color | Profile |
|----------|--|----------------|----------|-------|---------|
| 03477 | profile cork | 7×7×1,000 mm | 65 shore | brown | |
| 00384 | profile rubber NRB | 7.3×8×1,000 mm | 70 shore | white | |
| 03309 | profile cork; R4.5 strongly rounded | 7x7,3x1,000mm | 65 shore | brown | |
| 03478 | profile cork; T-profile rounded | 7x5x1,000 mm | 65 shore | brown | |
| 03308 | profile cork; CD- profile rounded | 7x7x1,000mm | 65 shore | brown | |





RUBBER PLATES. CORRUGATED BOARD AND PAPERBOARD.

| Item no. | Name | Dimensions | Hardness | Color | PU |
|----------|------------------------|----------------|----------|--------|---------|
| 15883 | cellrubber softpower | 7x500x1,200mm | 20 shore | black | 1 plate |
| 15874 | cellrubber softpower | 8x500x1,200mm | 20 shore | black | 1 plate |
| 15819 | cellrubber softpower | 10×500×1,200mm | 20 shore | black | 1 plate |
| 15821 | cellrubber softpower | 12x500x1,200mm | 20 shore | black | 1 plate |
| 03345 | cellrubber softpower | 13x500x1,200mm | 20 shore | black | 1 plate |
| 15822 | cellrubber softpower | 14x500x1,200mm | 20 shore | black | 1 plate |
| 15823 | cellrubber softpower | 16×500×1,200mm | 20 shore | black | 1 plate |
| 15058 | cellrubber softpower | 18×500×1,200mm | 20 shore | black | 1 plate |
| 03340 | marbaject | 7x500 x500 mm | 20 shore | black | 1 plate |
| 03312 | marbaject | 10x500x500mm | 20 shore | black | 1 plate |
| 03327 | marbaject | 12x500x500mm | 20 shore | black | 1 plate |
| 03350 | marbaject | 13x500x500mm | 20 shore | black | 1 plate |
| 03328 | marbaject | 14x500x500mm | 20 shore | black | 1 plate |
| 06593 | marbaject | 16x500x500mm | 20 shore | black | 1 plate |
| 03313 | marbaject | 7x500x500mm | 35 shore | grey | 1 plate |
| 03351 | marbaject | 10x500x500mm | 40 shore | yellow | 1 plate |
| 03352 | marbaject | 13×500×500mm | 40 shore | yellow | 1 plate |
| 03353 | marbaject | 14x500x500mm | 40 shore | yellow | 1 plate |
| 05107 | marbaject | 16×500×500mm | 40 shore | yellow | 1 plate |
| 03321 | marbaject | 18×500×500mm | 40 shore | yellow | 1 plate |
| 03007F | Vulkollan [®] | 7x250x500mm | 45 shore | yellow | 1 plate |
| 03207 | Vulkollan [®] | 7x500x250mm | 35 shore | yellow | 1 plate |
| 03210 | Vulkollan [®] | 10×500×250mm | 35 shore | yellow | 1 plate |
| | | | | | |

| Item no. | Name | Dimensions | Hardness | Color | PU |
|---|------------------------|-----------------|-------------|---------|---------|
| 03007 Vulkollan [®] $7 \times 500 \times 250 \text{ mm}$ 4 | | 45 shore | yellow | 1 plate | |
| 03010 | Vulkollan [®] | 10x500x250mm | 45 shore | yellow | 1 plate |
| 03014 | Vulkollan [®] | 7x500x250mm | 55 shore | yellow | 1 plate |
| 03260 | Vulkollan [®] | 10x500x250mm | 55 shore | yellow | 1 plate |
| 03122 | rubber cork | 7x500x1,000mm | 65 shore | brown | 1 plate |
| 03123 | rubber cork | 10×500×1,000 mm | 65 shore | brown | 1 plate |
| 03552 | Aclathan® | 9.2x500x250mm | 65-70 shore | amber | 1 plate |
| 32005 | elastopower | 10x500x500mm | 20 shore | yellow | 1 plate |
| 32006 | elastopower | 10x500x500mm | 40 shore | orange | 1 plate |
| 32011 | elastopower | 12x500x500mm | 15 shore | white | 1 plate |
| 32007 | elastopower | 14x500x500mm | 15 shore | white | 1 plate |
| 32004 | elastopower | 16×500×500mm | 45 shore | brown | 1 plate |
| | | | | | |

partly available with adhesive film on request

EMBOSSING.



Shim foils

Pressure-resistant foils in defined thicknesses. For accurate and fast make-ready.

PU = 50 m roll

| Name |
|-----------------------------|
| 0.05 mm Foil transparent |
| 0.1 mm paper yellow |
| 0.2 mm paper green |
| |



Torx screwdriver

Screwdriver for embossings and crease plates. Torx version. For best power transmission.

| Item no. | Name |
|----------|--------|
| 44212 | Tx8 |
| 44211 | Tx20 |
| 44215 | Tx8x60 |



Memo pin system

Special pins for archiving the embossing position in the blank.

PU = 100 pcs.

| Item no. | Name |
|----------|----------------------------------|
| 14065 | M4x12 allen |
| 14080 | disc for M4 |
| 14059 | M3x12 allen |
| 14081 | disc for M3 |
| 13040 | M4x8 torx for 3 mm female plate |
| 13041 | M4x8 allen for 3 mm female plate |
| 15005 | memopin |
| | |



CREASE PLATES.



Flat screw sockets

Screw sockets for flat head screws. For secure fastening of crease plates. And easy positioning. In different versions.

| Item no. | Name |
|----------|--------------------|
| 13082 | 11.5/17.5/Ø 8.0 mm |
| 13089 | 11.5/17.5/Ø 8.5 mm |



Flat screws and washers

Special screws for the assembly of crease plates. Torx version.

Suitable for flat screw sockets item no. 13082 and 13089.

| Item no. | Name |
|----------|-----------------|
| 13040 | M4x8 Torx |
| 13041 | M4x8 hexagonal |
| 14085 | disc 4x8x0.5 mm |
| 44212 | screwdriver Tx8 |



Fitting pins and sockets

For crease plates with flat sockets and embossing register system.

| Item no. | Name |
|----------|----------------------------------|
| 14369 | Marbach 5 mm pins Ø 5 x 50 mm |
| 55794 | crease plate fixation |
| 14176 | drill socket, length 12 |



Countersunk screw sockets

Special countersunk screw sockets. Without pins. User-friendly and space-saving. No additional cutout in the crease plate necessary. For narrow places. And fast and easy positioning of the creasing plate.

Item no. Name 55797 11.5/20/Ø8.0 mm



Countersunk screws

Special countersunk screws for screwing crease plates. Torx version. With extremely flat head. Suitable for countersunk screw sockets item no. 55797.





Brass sockets for crease plates

Sockets for mounting brass thread inserts of embossings into the crease plate. In two versions: M3 and M4.

| Item no. | Name |
|----------|-------------------|
| 14325 | thread inserts M3 |
| 14326 | thread inserts M4 |

BRAILLE.



Braille female embossing die

Standard marbabraille female embossing dies in different versions. As a counterpart to marbasteel male embossing dies. For optimal shaping of braille dots. And an optimal braille result.



Elastomer segments

Elastic base as raw material. For cutting to size. For elastic embos-



Screws and pins

Fixing elements for marbabraille female embossing dies on the cutting-die.

| Item no. | Dimensions |
|----------|---------------------|
| 09789 | 480x250x1.45 mm |
| 09790 | 480x250x1.40 mm |
| 09791 | 160 x 300 x 1.05 mm |

09792 160x300x1.55 mm

| | PU = IUU pcs. |
|----------|--------------------------|
| Item no. | Name |
| 14236 | lens head screw M 3x5 |
| 06607 | rectangular bolt |

on request



Shim foils

Item no. Name

00670 0.05x600 mm

00673 0.10 x 610 mm

00671 0.20×600 mm

Pressure-resistant foils in defined thicknesses. For accurate and fast make-ready.

PU = 50 m roll



Adhes

Double minati applic

| esive foils | ı |
|--------------------------------|----|
| le-sided adhesive foil for la- | [|
| tion. For various purposes of | ľ |
| cation. | t |
| | ļ |
| | ١, |

| Item no. | Name |
|----------|----------------------------------|
| | |
| 44011 | 0.10 mm x 25 m |
| – | 0.10 mm x 25 m 0.13 mm x 50 m |

0.65 x 615 mm x 30 m

44103 0.25 mm x 10 m

00586 magnetic foil



Digimes

Digital measuring device for determining the height of braille dots on the male embossing die and on the paperboard. Fast and safe. According to DIN EN 15823.

- Measuring range: 0-10 mm
- · Resolution: 0.01 mm
- · Switching inch/mm

| tem no. | Name | |
|---------|---------|--|
| 3-175N | Dinimes | |



Steel and wooden rails. 53

STEEL AND WOODEN RAILS.

Wooden rails multiplex natural, lower part stabilization

| Item no. | Name | Application | Version | PU |
|----------|-------|--------------------------------------|---------------|---------|
| L-HLZ25 | 25 mm | paperboard processing machines | 15 mm 18 mm | 50 pcs. |
| L-HLZ35 | 35 mm | paperboard processing machines | 15 mm 18 mm | 50 pcs. |
| L-HLZ50 | 50 mm | corrugated board processing machines | 12 mm 15 mm | 50 pcs. |

Steel rails, lower part stabilization

| Item no. | Name | Application | Version | PU |
|----------|-------|--------------------------------------|----------------|---------|
| L-STL25 | 25 mm | paperboard processing machines | 4 mm 6 mm | 50 pcs. |
| L-STL35 | 35 mm | paperboard processing machines | 4 mm 6 mm | 50 pcs. |
| L-STL50 | 50 mm | corrugated board processing machines | 2 mm 3 mm 4 mm | 50 pcs. |

Fixing elements for steel rails

| Item no. | Name | Application | Version | PU |
|----------|----------------------|--------------------------------|-------------|------------|
| 07481 | mounting angle steel | rail fixation wood and steel | 20x25x25 mm | 500 pcs. |
| 13280 | flat head screw | mounting steel rails (angle) | M6x12mm | 100 pcs. |
| 00738 | pan head screw | mounting wooden rails claw | M6x25 mm | 100 pcs. |
| 04986 | drive-in nut | assembly lower part with angle | M5x8mm | 1,000 pcs. |
| 13284 | flat head screw | assembly lower part with angle | M5x10 mm | 100 pcs. |
| 14284 | claw plastic | assembly with rails | 25 mm | 100 pcs. |

Cross stabilization SPO

| Item no. | Name | Application | Version | PU |
|----------|--------------------------|----------------------------------|------------|----------|
| 19028 | stabilization tube | assembly with wooden rails | 2,000 mm | 25 pcs. |
| 09158 | clamping block standard | assembly pipe with lower part | 45x15x39mm | 100 pcs. |
| 09157 | clamping block end piece | assembly of pipe with lower part | 25x30x39mm | 100 pcs. |
| 14163 | lens head screw | assembly of clamping blocks | M5x30 mm | 100 pcs. |

STRIPPING.



Speed Lift and Speed Lift-S

Sheet lifter for stripping tools. Retrofittable. In 2 sizes. The Speed Lift Precision drill drills the appronriate cut-nuts

PU = 500 pcs.

| Item no. | Name |
|----------|---------------------------------|
| 13045 | Speed Lift Ø 35 mm |
| 13046 | Speed Lift Precision drill |
| 13091 | Speed Lift-S Ø 20 mm |
| 13092 | Speed Lift-S Precision drill |



Easy-Fix and Easy-Fix-S

Transport locks for tools. Onepiece, making them fast and safe to handle. Available in the two versions Easy-Fix (stripping lower and upper part) and Easy-Fix-S (guillotine with tool).

PU = 1.000 pcs.

| | . c .,ccc pcc. |
|----------|----------------------------|
| Item no. | Name |
| 07450 | Easy-Fix blue* |
| 06900 | Easy-Fix-S blue* |
| *0 | nly as long as stock lasts |



Precision lower pin for Marbach lower pin unit

Specially developed: This precision lower pin ensures stable and safe stripping processes in the Marbach lower pin unit during packaging production.

PU = 50 pcs.

| Item no. | Name |
|----------|------------------------------|
| 00371 | standard (Ø 4mm) |
| 00370 | reduced diameter (Ø 2 mm) |



Precision lower pin

Special precision lower pins for stable stripping processes in packaging production. It is manufactured extremely precisely from high-quality materials and is very accurate in position due to its narrow guide tolerances. Re-adjustment in the die-cutting machine is not necessary. For trouble-free and waste-free stripping processes.

PU = 50 pcs.

| Item no. | Name |
|----------|------------------------------|
| 20371 | standard (Ø 4 mm) |
| 20370 | reduced diameter (Ø 2 mm) |



Bottom pin

The standard bottom pin for stripping: 4 mm. And for the smallest waste parts, a special bottom pin. Turned down to 2 mm. So that even the smallest waste parts can be stripped safely and stably.

PU = 50 pcs.

| tem no. | Name | |
|---------|------------------------------|--|
| 0841 | reduced diameter (Ø 2 mm) | |
| 0840 | standard (Ø 4 mm) | |



marbapoint

The precision set-up aid for a highly efficient stripping process. So set-up of the stripper in the cutting machine is easy as pie.

| ltem no. | Name |
|----------|---------------------|
| 09966 | marbapoint set |
| 09984 | marbapoint |
| 914706 | replacement battery |
| 15048 | recording socket |
| 09971 | magnet holder |



Stripping claws

Unique. For dynamic stripping. The waste is held in place with the claw tips. And pressed through the lower tool. The special support technology in the lower tool ensures a controlled stripping of the waste. Available in various sizes. Left and right.

PU = 500 pcs.

| Item no. | Name |
|----------|-------------|
| 09502 | 4 mm left |
| 09503 | 4 mm right |
| 09504 | 6 mm left |
| 09507 | 6 mm right |
| 09508 | 8 mm left |
| 09509 | 8 mm right |
| 09501 | 10 mm left |
| 09511 | 10 mm right |
| 09512 | 12 mm left |
| 09513 | 12 mm right |
| 09515 | 15 mm left |
| 09516 | 15 mm right |
| 09520 | 20 mm left |
| 09521 | 20 mm right |

further claw types on request



marbafly|c

Sheet lifting aid for corrugated PLL = 100 ncs

| | , |
|----------|------------|
| Item no. | Name |
| 08968 | marbafly c |



Crown pins

They firmly fix the waste. And are used in places where a claw does not fit. Especially useful for tiny waste pieces. And small side waste. Available in various sizes.

PU = 1,000 pcs.

| Item no. | Name |
|----------|----------|
| 42421 | Ø 1.8 mm |
| 42399 | Ø 2.2 mm |
| 42422 | Ø 3.0 mm |
| 42423 | Ø 5.0 mm |
| | |



Assembly aid

Simple. But effective. Special assembly aid for the assembly of crown pins. Or marbastrip claws.

PU = 1 pcs.

| Item no. | Name |
|----------|---------|
| 10456 | Ø1.8 mm |
| 10455 | Ø2.2 mm |
| 10458 | Ø3.0 mm |
| 10457 | Ø5.0 mm |
| 09708 | claws |



marbafly|s

Sheet lifting aid for paperboard. The paperboard sheet. It flies through the stripping station. Thanks to the marbafly. This special lifting aid supports the smooth transport of the paperboard sheet during the stripping process.

Special telescope spring elements for Marbach stripping tool

masterstrip|plate. In 2 versions.

Spring elements

Name Item no. threaded M6 x 16 mm 14920 07706 pin 14072 3 x 16 mm

PU = 100 pcs.

Item no. Name 09232 marbafly|s

BLANKING.



Jogger tape

Jogger tapes for guiding the blanks during the blanking process. With steel insert. They ensure safe stacking of the blanks.

| Item no. | Dimensions |
|----------|-----------------------------------|
| 14157 | 19.0 mm; 16.5 m |
| 44030 | 25.4 mm; 16.5 m |
| 07550 | steel insert 12.7x0.10 mm; 5 m |



Pusher Spot

Conventional spot presser that can be used to fix the waste separation grid in place during blanking. Stable and secure.

| Item no. | Name |
|----------|--------------------------------|
| 34148 | Pusher Spot |
| 13220 | M6 x 35 mm for mounting pusher |



Center block

Center block for insertion into the blanking tool. Ensures fast and accurate positioning of the tool in the die-cutting machine. For fast setup times.

| | PU = 100 pcs. |
|----------|---------------|
| Item no. | Name |
| 07427 | center block |

further versions on request



Distance element

Distance element for stripping and blanking tools. Provides best stability due to its extra large contact surface.

| | PU = 100 pcs. |
|----------|----------------|
| Item no. | Name |
| 14425 | bolt (30 mm) |
| 50203 | sleeve (30 mm) |



Pusher for bar

Conventional surface presser for use with a presser bar. This is used to fix the edge waste in place during the blanking process. Stable and secure.

| Item no. | Name |
|----------|--------------------------------|
| 34150 | Pusher for bar |
| 19073 | bar blue |
| 14328 | M5 x 10 mm mounting bar |
| 13220 | M6 x 35 mm for mounting pusher |



Pusher for plate

Conventional presser for use with an order-related presser plate. For flat fixation of the entire waste during the blanking process. Stable and secure.

| tem no. | Name |
|---------|--------------------------------|
| 34149 | Pusher for plate |
| 5043 | M6 x 20 mm for mounting plate |
| 3220 | M6 x 35 mm for mounting pusher |



Joggers

For optimum guidance of the separated blanks in the trim area. Lightweight, stable and inexpensive. Available in various lengths. Individually adaptable.

| PU = | 100 | pcs. |
|------|-----|------|
|------|-----|------|

| Item no. | Name |
|----------|---------------|
| 99072 | standard |
| 13189 | 4.5 x 25 mm |
| 44213 | 4.5 x 15 mm |
| 99073 | version long |
| 09927 | version small |
| 13190 | 5 x 20 mm |
| 13191 | 5 x 35 mm |
| | |





marbapusher|p

This presser is an all-rounder. It can be used for both presser plates and custom-shaped presser bars. And it saves storage space as it doesn't stand out on the back of the tool.

PU = 100 pcs.

| Item no. | Name |
|----------|---------------------------------|
| 34134 | marbapusher p |
| 14072 | 3 x 16 mm |
| 44213 | 4.5 x 15 mm (for plate/rail) |



marbapusher|s

The Marbach telescopic presser. Lightweight, economical and space-saving. Flush to the back of the tool. Fits even where there is little room.

PU = 100 pcs.

| Item no. | Name |
|----------|---------------|
| 34147 | marbapusher s |
| 14072 | 3 x 16 mm |



marbapusher set

Item no. Name

34159 marbapusher set

Pressers designed by Marbach. Lightweight, versatile and economical. Quick and safe assembly in seconds. Set of 25 pcs. with fitting keys. Without screws.



marbapusher

Pusher developed by Marbach for the selective fixation of waste areas. Lightweight, flexible to use and inexpensive. Quickly mounted and easy to handle.

PU = 100 pcs.

| Item no. | Name |
|----------|-------------|
| 34158 | marbapusher |

SMALL COMPONENTS.



T-nuts

T-nuts for die fixing in the counter chase. With and without thread.

PU = 500 pcs.

| | 1 U | and her |
|----------|-------------|---------|
| Item no. | Name | |
| 14045 | M10 x 13 mm | |
| 04988 | M8x11mm | |
| 14039 | M6x12mm | |
| 14051 | M6x9mm | |
| 04981 | M6x14mm | |
| 14052 | M5x12mm | |
| 04986 | M5x18mm | |
| 04993 | M4x12mm | |
| 04989 | M4x8mm | |
| | | |



Speed mounts

Elements for attaching rotary cutting-dies to the die-cutting cylinder. For a secure connection. In two different versions. Round hole for precise positioning. Slotted hole for flexible use. In aluminum version for even more stability.

PU = 100 pcs.

| Item no. | Name |
|----------|-------------------------------|
| 08548 | round hole, blue plastic |
| 08545 | slotted hole, aluminium |



Lock-up chase screws

Countersunk head screws for fast mounting of the cutting-die in the cutting chase. Available in sizes M5 (for corrugated board) and M4 (for paperboard).

PU = 100 pcs.

| Item no. | Name |
|----------|---------|
| 14251 | M5x20mm |
| 14366 | M4x20mm |
| 14367 | M4x18mm |
| | |



Corner protection

Special elements to protect the edges of the tool. For a long service life. And to ensure that the tool slides into the machine.

PU = 100 pcs.

| | | |
|----------|-------|------|
| Item no. | Name | |
| 09226 | 18 mm | |
| 09225 | 15 mm | |
| 09200 | 12 mm | |



Center notch reinforcement

Plastic elements that prevent the notch of your cutting-die from getting loose. And thus to ensure dimensional stability and fast and precise tool positioning. Permanently and safe.

PLL = 100 ncs

| | 1 0 100 poo. |
|----------|-------------------------------|
| ltem no. | Name |
| 07479 | center reinforcement black |
| | |



Mini perfatypes

Perforation marks for numbering of ups.

PII = 25 ncs

| | 1 0 | Lu ինն. |
|----------|-------------|---------|
| Item no. | Name | |
| 19300 | perfatype O | |
| 19301 | perfatype 1 | |
| 19302 | perfatype 2 | |
| 19303 | perfatype 3 | |
| 19304 | perfatype 4 | |
| 19305 | perfatype 5 | |
| 19306 | perfatype 6 | |
| 19307 | perfatype 7 | |
| 19308 | nerfatyne 8 | |



Standard perfatypes

Item no. Name NOONE porfatype

PU = 25 pcs.

| 08396 | perfatype - |
|-------|-------------|
| 08347 | perfatype / |
| 08301 | perfatype O |
| 08302 | perfatype 1 |
| 08303 | perfatype 2 |
| 08304 | perfatype 3 |
| 08305 | perfatype 4 |
| 08306 | perfatype 5 |
| 08307 | perfatype 6 |
| 08308 | perfatype 7 |
| 08309 | perfatype 8 |
| 08321 | perfatype A |
| 08322 | perfatype B |
| 08323 | perfatype C |
| 08324 | perfatype D |
| 08325 | perfatype E |
| 08326 | perfatype F |
| 08327 | perfatype G |
| 08328 | perfatype H |
| 08329 | perfatype I |
| 08330 | perfatype J |
| 08331 | perfatype K |
| 08332 | perfatype L |
| 08333 | perfatypem |
| 08334 | perfatype N |
| 08301 | perfatype O |
| 08336 | perfatype P |
| 08337 | perfatype Q |
| 08338 | perfatype R |
| 08339 | perfatype S |
| 08340 | perfatype T |
| 08341 | perfatype U |
| 08342 | perfatype V |
| 08343 | perfatype W |
| 08344 | perfatype X |
| 08345 | perfatype Y |
| 08346 | perfatype Z |



Special perfatypes

Special perfatype "RESY" label and "green point" label. For insertion into the cutting-die. For rotation with notch on the back.

| | Item no. | Name | |
|--|----------|--------------------|--|
| | 55600 | green for type 3.0 | |
| | 55601 | red for type 1.8 | |
| | 55602 | blue for type 2.5 | |
| | 55603 | black for type 3.5 | |

Perfatype mounting rail

every kind of perfatype.

Mounting rails for perfatypes. Fast

exchange of digits. The right rail for





Handles for rotary dies

Item no. Name 42411 plastic, blue

Special handles for rotary halfshells. For optimized handling and higher work safety.

PU = 100 pcs.

| Item no. | Name |
|----------|------------|
| 08348 | Ø 487.3 mm |
| 08349 | Ø366.2 mm |
| 08351 | Ø270.2 mm |
| 09617 | Ø240.9 mm |
| 08450 | Ø 177.0 mm |
| 03270 | washers |

Quick-release clamps Quick locking system for rotary machines. For reduced set-up times.

| PU | = | 50 | pcs |
|----|---|----|-----|
| | | | |

| Item no. | Name | |
|----------|------------|--|
| 08348 | Ø487.3 mm | |
| 08349 | Ø366.2 mm | |
| 08351 | Ø 270.2 mm | |
| 09617 | Ø240.9 mm | |
| 08450 | Ø 177.0 mm | |
| | | |


60 Logistics. 61

MDSS.

PERFECTLY STORED.

Good in-house logistics saves you time. Store your cutting-dies in the Marbach Die Storage System (MDSS). The MDSS is available for flat and for rotary cutting-dies.

In the MDSS the dies are stored safely, can be found quickly and are accessible at any time. Due to its modular design, it can be configured according to your individual requirements. Depending on the MDSS version, various handling systems are available to transport the dies quickly and safely to their place of use.



G-6000 modular system, price depends on number and size of cassettes or shell diameters







62 Quality control. 63

CREASE BEND TESTER.MEASURING PAPERBOARD SAMPLES.

The packaging has to fit. To the product and to the filling process. For optimum packaging quality, you need a suitable control system. A system with which you can reliably measure the crease values and the folding resistance of a package. A system that makes no mistakes. A system that ensures maximum machine speeds and a smooth packaging process for your customers.

The crease bend tester is a quality assurance system for your entire packaging process: from the initial tests in the laboratory to continuous tests during packaging production. All the way to the final inspection before the packaging is delivered to your customer. But that's not all. The crease bend tester is also the device of choice for optimizing repeat orders and checking incoming material deliveries.

Item no. Name

G-4100 crease bend tester



SAMPLE CUTTER.

CUT AND CREASE PAPERBOARD SAMPLES.



For an easy production of test samples for the crease bend tester it is recommended to use the sample cutter. With this, samples with the size 60 mmx25 mm can be cut. The sample cutter and suitable tools are equipped with a visual aid. This ensures the correct position for cutting the paperboard strips quickly and precisely.

Item no. Name

G-4010 sample cutter

MARBACH ACADEMY. FOR YOUR MAXIMUM PERFORMANCE.



More knowledge. More skills.

Benefit from Marbach. And more than 100 years of experience.

- In the production of cutting-dies. For folding boxes. For corrugated board packaging. And cigarette packaging.
- · In the application of cutting-dies. In die-cutting. In stripping. In blanking. And refining.

MAXIMUM PERFORMANCE.

Under the motto "More knowledge. More skills." we share our experience. With all who want to optimize their die-cutting process. Aim for maximum performance in the production of their packaging. That expect tips and tricks that can be put into practice immediately. And last but not least, have all the same goal: to optimize the die-cutting process. To work efficiently and productively. To reduce costs. And to produce great packaging for success at the point of sale.

IN THEORY AND PRACTICE.

All Marbach trainings have one thing in common: they do not only provide theoretical knowledge. But always show the application in practice. Operated by trainers who have to know it: Application engineers and packaging technicians. All of them with decades of experience. In theory and practice.

TRAINING PROGRAMME

The following training courses are offered at the Marbach Acadamy:

Paperboard

- Compact course. Die-cutting and refining of paperboard. (FS-02-E)
- Intensive course. Die-cutting of paperboard. (FS-INT-E)
- Compact course. For paperboard manufacturers. (M-KHS-E)

Tobacco


• Intensive course - offline. Die-cutting of cigarette packaging. (Z-INT-E)

Corrugated board

• Compact course. Die-cutting and refining of corrugated board. (WP-02-E)

Individual training courses

· Choose between new different modular training courses or your own favourite topic.






marbaject.

HIGH-PERFORMANCE RUBBER WITH HIGH-PERFORMANCE FEATURES.

marbaject from Marbach. The perfect rubber for maximum performance in rotary die-cutting: With high rebound elasticity for optimum ejection. Made of high-performance material for low abrasion and long service life. And best of all: food-safe thanks to ISEGA certification.

www.marbach.com







MARBACH

mjet|1

WATERJET CUTTING. EFFICIENT AND SAFE.

mjet|1. A waterjet system for small-format cutting-die production. Compact, efficient, very quiet and safe. Simply unique on the market. Fully encapsulated design with closed processing room as standard. For maximum safety.

www.marbach.com

THE ALL-ROUNDER FOR CUTTING RULE MATERIALS TO LENGTH.

The mcut|multi. An indispensable handheld device. Multifunctional. And highly precise when cutting. The mcut|multi cuts steel without effort. Fast and without deformation. For single and double cuts. But also for notching rules. For maximum performance in the production of your cutting-dies.

www.marbach.com

Marbach Group Karl Marbach GmbH & Co. KG

Karl-Marbach-Straße 1
74080 Heilbronn
Germany
phone +49 7131 918-450
supplies@marbach.com
www.marbach.com

PACKAGING. PERFORMANCE. YOU.

Marbach reserves the right to make changes without prior notice.

(c) Marbach 2024